

PUMP PARTS PLUS

2018 PARTS CATALOG

CONCRETE PUMP PARTS & ACCESSORIES



800.567.7400
www.pumppartsplus.com



TABLE OF CONTENTS	
Pipe Bends	pg. 3
Reducing Elbows	pg. 4
Slickline	pg. 4
Steel Reducers	pg. 5
Boom Elbows	pg. 6
Boom Pipe	pg. 7
Placing Hose—Fabric	pg. 8
Placing Hose—Steel	pg. 9
Hose Stems & Ferrules	pg. 10
Shotcrete Nozzles	pg. 10
Clean-out Accessories	pg. 11
Couplings/Gaskets	pg. 12-14
Weld-on Ends	pg. 15
Reed B50/C50 Wear Parts	pg. 16
Schwing Trailer Parts	pg. 17
Schwing Boom Pump Parts	pg. 18-20
Putzmeister Wear Parts	pg. 21-24
General Pumping Accessories	pg. 25-26
Chemicals & Add Mixtures	pg. 27
Wireless Remote Controls	pg. 28
Notes and Contact Information	pg. 29

PIPE BENDS



Part No.	ID In.	Bend	CLR	Weight
PB209016	2.0	90	16	10 lbs
PB204516	2.0	45	16	6 lbs
PB202216	2.0	22.5	16	4 lbs
PB209048	2.0	90	48	38 lbs
PB204548	2.0	45	48	20 lbs
PB259016	2.5	90	16	15 lbs
PB254516	2.5	45	16	9 lbs
PB259048	2.5	90	48	46 lbs
PB254548	2.5	45	48	23 lbs
PB309016	3.0	90	16	23 lbs
PB304516	3.0	45	16	12 lbs
PB309024	3.0	90	24	30 lbs
PB309048	3.0	90	48	57 lbs
PB304548	3.0	45	48	28 lbs
PB409018	4.0	90	18	30 lbs
PB404518	4.0	45	18	17 lbs
PB409048	4.0	90	48	72 lbs
PB404548	4.0	45	48	38 lbs
PB509024	5.0	90	24	49 lbs
PB504524	5.0	45	24	25 lbs
PB509048	5.0	90	48	118 lbs
PB504548	5.0	45	48	59 lbs

REDUCING ELBOWS



Part No.	Pipe ID In.	Bend	Weight
RE302090HH	3.0 X 2.0 HD-HD	90	8 lbs
RE403090HH	4.0 X 3.0 Cast	90	19 lbs
RE503090HH	5.0 X 3.0 Cast	90	26 lbs
RE504090HH	5.0 X 4.0 Cast	90	28 lbs
RE504090M-H	5.0 X 4.0 Met-HD	90	28 lbs
RE605090MM	6.0 X 5.0 Met-Met	90	31 lbs
RE605090ZX-M	6.0 X 5.0 ZX-Met	90	27 lbs
RE6050ZX-HD	6.0 X 5.0 ZX-HD	90	54 lbs
RE6040ZX-HD	6.0 X 4.0 ZX-HD	90	51 lbs
RE6040MH	6.0 X 4.0 Met-HD	90	51 lbs
RE6040HH	6.0 X 4.0 HD-HD	90	51 lbs

Our “fat back” manganese elbows are engineered for extended wear life and abrasion

SLICKLINE




Part No.	Size	Wall Thickness	Weight	WP/BP
PS2010910HH	2.0	0.157/4mm	29 lbs	2300/5500
PS2512010BB	2.5	0.120/3.25mm	38 lbs	1300/3000
PS3012510HH	3.0	0.125/3.25mm	45 lbs	1300/3000
PS4012510HH	4.0	0.125/3.25mm	61 lbs	1300/3000
PS4023710HH	4.0	0.237/6mm	108 lbs	1900/6200
PS5013410HH	5.0	0.134/3.5mm	84 lbs	1300/3000
PS5025810HH	5.0	0.258/6.5mm	146 lbs	1900/6200

STEEL REDUCERS



Part No.	Size	Length	Ends	Weight
R-1512515GG	1.5X1.25	15	GR-GR	8 lbs
R-252028GG	2.5X2.0	28	GR-GR	18 lbs
R-252036GG	2.5X2.0	36	GR-GR	21 lbs
R-302028H-G	3.0X2.0	28	HD-GR	21 lbs
R-302036H-G	3.0X2.0	36	HD-GR	24 lbs
R-302536H-G	3.0X2.5	36	HD-GR	26 lbs
R-201518HH	2.0X1.5	18	HD-HD	18 lbs
R-252015HH	2.5X2.0	15	HD-HD	10 lbs
R-252028HH	2.5X2.0	28	HD-HD	14 lbs
R-252036HH	2.5X2.0	36	HD-HD	21 lbs
R-302015HH	3.0X2.0	15	HD-HD	11 lbs
R-302028HH	3.0X2.0	28	HD-HD	21 lbs
R-302036HH	3.0X2.0	36	HD-HD	24 lbs
R-302528HH	3.0X2.5	28	HD-HD	20 lbs
R-302536HH	3.0X2.5	36	HD-HD	24 lbs
R-403015HH	4.0X3.0	15	HD-HD	16 lbs
R-402040HH	4.0X2.0	40	HD-HD	32 lbs
R-402540HH	4.0X2.5	40	HD-HD	37 lbs
R-403036HH	4.0X3.0	36	HD-HD	35 lbs
R-503036HH	5.0X3.0	36	HD-HD	38 lbs
R-504027M-H	5.0X4.0	27	MET-HD	39 lbs
R-504036HH	5.0X4.0	36	HD-HD	45 lbs
R-504053HH	5.0X4.0	53	HD-HD	58 lbs

BOOM PUMP REDUCERS



Part No.	Size	Length	Ends	Weight
R-403515HH	4.0X3.0	15	HD-HD	15 lbs
R-504015M-HD	5.0X4.0	15	M-HD	20 lbs
R-503036M-HD	5.0X3.0	36	M-HD	45 lbs
R-504036M-HD	5.0X4.0	36	M-HD	45 lbs
R-605047.25HI-M	6.0X5.0	1200mm	HI-M	72 lbs
R-605047.25MM	6.0X5.0	1200mm	M-M	72 lbs
R-605063FM-M	6.0X5.0	1600mm	FM-M	100 lbs
DOUBLE WALL				
R-DW504036M-HD	5.0X4.0	36	HD-HD	54 lbs
R-DW605047.25HI-M	6.0X5.0	1200mm	HI-M	
R-DW6050-47.25MM	6.0X5.0	1200mm	M-M	
R-DW605063FM-M	6.0X5.0	1600mm	FM-M	

BOOM ELBOWS



We stock every elbow we advertise. They have been performance proven for many years by many of the country's leading concrete pumping companies. The manganese construction means they work harder with use.

“Fat Back” Manganese Cast Elbows with machined ends.
Hardness
58-60 Rc

Part No.	Pipe ID In.	Bend
EL5090M	Metric 5.0	90
EL5045M	Metric 5.0	45
EL5090HD	HD 5.0	90
EL5045HD	HD 5.0	45
EL5030M	Metric 5.0	30
EL5020M	Metric 5.0	20
EL50325M	Metric 5.0	32.5
EL5030(PM)M	Metric 5.0	30
EL5015M	Metric 5.0	15
EL5014M	Metric 5.0	14

DOUBLE WALL ELBOWS



Hardness 63-67 Rc

Part No.	Pipe ID In.	Bend
DW-EL5090M	Metric 5.0	90
DW-EL5045M	Metric 5.0	45
DW-EL50325M	Metric 5.0	32.5
DW-EL5030M	Metric 5.0	30
DW-EL5020M	Metric 5.0	20
DW-EL5014M	Metric 5.0	14

We carry most of the same elbows in double/twin wall as well, giving you much longer life on your pump

BOOM PIPE



SINGLE WALL

Part No.	ID In.	Wall Thickness	Length	Hardness
SW-3M BOOM	4.8/123.4mm	0.188/7ga	3M	58-60 Rc
SW-4M BOOM	4.8/123.4mm	0.188/7ga	4M	58-60 Rc
SW-5M BOOM	4.8/123.4mm	0.188/7ga	5M	58-60 Rc
SW-3M DECK	4.8/123.4mm	0.277/7mm	3M	58-60 Rc
SW-5M DECK	4.8/123.4mm	0.277/7mm	5M	58-60 Rc

DOUBLE WALL

Part No.	ID In.	Wall Thickness	Length	Hardness
DW-BOOM 3M	4.8/123.4mm	3mm+1.5mm	3M	63-67 Rc
DW-BOOM 4M	4.8/123.4mm	3mm+1.5mm	4M	63-67 Rc
DW-BOOM 5M	4.8/123.4mm	3mm+1.5mm	5M	63-67 Rc
DW-DECK 3M	4.8/123.4mm	4.5mm+3.0mm	3M	63-67 Rc
DW-DECK 4M	4.8/123.4mm	4.5mm+3.0mm	4M	63-67 Rc

- INNER WALL HARDNESS OF FROM 58-67 ROCKWELL
- DEEPER HEAT PENETRATION FOR LONGER WEAR
- SEAMLESS TUBING AS OPPOSED TO ERW WELDED PIPE
- ALL SW & DW PIPE HAVE CAST CHROMIUM-STEEL ALLOY INSERTS
- INDEPENDENTLY LAB TESTED



ALSO AVAILABLE NON HARDENED—SPECIAL ORDER

BOOM AND DECK WELD-ON ENDS

SW-WOE-M-BOOM	4.8/123.4mm	Full Flow Chrome Cast. Inserts	58-61 Rockwell
SW-WOE-M-DECK	4.8/123.4mm	Full Flow Chrome Cast. Inserts	58-61 Rockwell

U-BOLTS, MAKE-UPS AND FULL SYSTEMS (call 1-800-567-7400 for details)



HOSE—FABRIC-REINFORCED

Pump Parts Plus Brand



Part No.	Size In.	Lengths Ft.	Working PSI
FAB-PPP-1.50	1.5	50	1200 PSI
FAB-PPP-2.0	2.0	25	1200 PSI
FAB-PPP-2.0	2.0	50	1200 PSI
FAB-PPP-2.5	2.5	25	1200 PSI
FAB-PPP-2.5	2.5	50	1200 PSI
FAB-PPP-3010HH	3.0	10	800 PSI
FAB-PPP-3.0	3.0	12.5	800 PSI
FAB-PPP-3.0	3.0	25	800 PSI
FAB-PPP-3.5	3.5	10, 12.5	800 PSI
FAB-PPP-4010HH	4.0	10	800 PSI
FAB-PPP-4.0	4.0	Specify Length	800 PSI
FAB-PPP-4.5M	4.5	10, 12.5 Metric	800 PSI
FAB-PPP-5010HH	5.0	10	800 PSI
FAB-PPP-5012MB	5.0	12.5	800 PSI

Single-ended tip hoses available in all sizes



We stock 1.5" - 5" hose. Our in-house hose is manufactured to stringent specifications, meeting or exceeding industry standards. All of our ends are full flow heat-treated for longer life and smooth transition from hose to end. Custom lengths are available. Non-marking hose is available in 1.5" & 2.0" sizes.



HOSE—STEEL-REINFORCED 1275 PSI

Pump Parts Plus Brand



Part No.	Size In.	Length Ft.
SW-PPP-2025HH	2.0	25
SW-PPP-2050HH	2.0	50
SW-PPP-2525HH	2.5	25
SW-PPP-3010HH	3.0	10
SW-PPP-3025HH	3.0	25
SW-PPP-4010HH	4.0	10
SW-PPP-4025HH	4.0	25
SW-PPP-5010HH	5.0	10
SW-PPP-5010MM	5.0	10 Metric
SW-PPP-5012HH	5.0	12.5
SW-PPP-5020HH	5.0	20
SW-PPP-5025HH	5.0	25

This is our exclusive Pump Parts Plus, Inc. steel-reinforced concrete placing hose. Our hose is reinforced with 4 plies and has a 1275 PSI working pressure. We can accommodate most length requirements for your job. Call us for a quote.

TUBE: EXTRUDED BLACK CONDUCTIVE NR-ABRASION RESISTANT LINER
REINFORCEMENT: 4 PLY HIGH TENSILE STRENGTH STEEL WIRE
COVER: BLACK CONDUCTIVE SBR/NR BLEND-ABRASION AND OZONE RESISTANT
APPLICATION: HIGH PRESSURE CONCRETE PLACEMENT AND PUMPING
TEMPERATURE: 30°C + 80°C (-22°F+176°F)
WE ARE PROUD TO BRING YOU ONE OF THE FINEST STEEL REINFORCED CONCRETE HOSES. MANUFACTURED USING QUALITY SPECIFICATIONS THAT ARE AT/ABOVE INDUSTRY STANDARDS. (ACPA—ASME)

SPECIALTY HOSE AND HOSE SLEDS

Now available to Pump Parts Plus are reducing hoses, lay flat hoses and hose sleds. Steel sleds and lightweight vacuum-formed poly sleds (not pictured) available. Call for a quote.



Reducing Hose—In.	Lgth Ft.
5.0x4.0	12.5
4.0x3.5	10
5.0x3.0	12

Lay Flat—Size In.	Lgth Ft.
4.0	Please specify



Hose Sleds	Weight
Steel	32 lbs
Poly	5 lbs

SHOTCRETE NOZZLE ASSEMBLIES



Part No.	Description
Shot Assy 2.0	2.0 Shotcrete Nozzle Assembly Kit
HN20LS Tips	2.0x1.25x7.0 OAL Rubber Nozzle Only
HD Inserts	Steel Heat-Treated Insert w/ HD End
GR Inserts	Steel Heat-Treated Insert w/ GR End

Shotcrete Hose 1275 PSI



Part No.	Description
SWH2025	2.0 X 25 LENGTH
SWH2050	2.0 X 50 LENGTH
SWH2525	2.5 X 25 LENGTH

Steel wire reinforced hose is ideal for Shotcrete jobs. Rated at 1275 PSI working pressure

External Hose Stems & Ferrules



Part No.	Description
HSA20HD	2.0 HSA HD
HSA25HD	2.5 HSA HD
HSA30HD	3.0 HSA HD
HSA35HD	3.5 HSA HD
HSA4035HDR	4.0-3.5 HSA HD
HSA40HD	4.0 HSA HD
HSA5045HDR	5.0-4.5 HSA HD
HSA5045MR	5.0-4.5 HSA Metric
HSA50HD	5.0 HSA HD
HSA50M	5.0 HSA Metric

Internal Stems & Ferrules



We carry just about all sizes of internal hose stems & ferrules for your pumping needs. Please ask a sales representative for more details by calling us toll free at 1-800-567-7400.

CLEAN OUT ACCESSORIES



Part No.	Description	Line Size In.	Ball Size
COB1M	Sponge Clean-Out Ball	1.0	1.0
COB15M	Sponge Clean-Out Ball	1.5	1.5
COBS20	Sponge Clean-Out Ball	2.0	2.0
COBS30	Sponge Clean-Out Ball	3.0	3.0
COBS40	Sponge Clean-Out Ball	4.0	4.0
COBS50M	Sponge Clean-Out Ball Med Density	5.0	5.0
COBS50H	Sponge Clean-Out Ball Hard Density	5.0	5.0
COBS50S	Sponge Clean-Out Ball Soft Density	5.0	5.0
COB60	Sponge Clean-Out Ball	6.0	6.0


Ball-Catchers and Blow-Out Caps available in 2.0 to 5.0

Part No.	Description
BOC2HD	2.0 Blow Out Cap w/ (2) .75 Ball Valve
BOC2.5HD	2.5 Blow Out Cap w/ (2) .75 Ball Valve
BOC3HD	3.0 Blow Out Cap w/ (2) .75 Ball Valve
BOC4HD	4.0 Blow Out Cap w/ (2) .75 Ball Valve
BOC5M	5.0 M Blow Out Cap w/ (2) .75 Ball Valve

Part No.	Description
BC2HD	2.0 HD BALL CATCHER
BC25HD	2.5 HD BALL CATCHER
BC3HD	3.0 HD BALL CATCHER
BC4HD	4.0 HD BALL CATCHER
BC5HD	5.0 HD BALL CATCHER
BC5M	5.0 METRIC BALL CATCHER



WASH-OUT HOOKS



Part	Description
WO-HOOK2	2.0 WASHOUT HOOK—HD
WO-HOOK2.5	2.5 WASHOUT HOOK—HD
WO-HOOK3	3.0 WASHOUT HOOK -HD
WO-HOOK4	4.0 WASHOUT HOOK-HD

Wash-Out Hooks Have 78 In. Height (lightweight construction)

COUPLINGS

HEAVY DUTY



Part No.	Size In.	Weight	WP
CL15HD	1.5 HD	4 lbs	130 bar
CL20HD	2.0 HD	5 lbs	130 bar
CL25HD	2.5 HD	6 lbs	130 bar
CL30HDADJ	3.0 HD ADJ	9 lbs	130 bar
CL40HDADJ	4.0 HD ADJ	12 lbs	130 bar
CL50HDADJ	5.0 HD ADJ	16 lbs	130 bar
CL30HD	3.0 HD	7 lbs	130 bar
CL40HD	4.0 HD	11 lbs	130 bar
CL50HD-NA	5.0 HD	13 lbs	130 bar
CL60HDADJ	6.0 HD ADJ	17 lbs	130 bar

GROOVED



Part No.	Size In.	Weight
CL15GR	1.5 GR	3 lbs
CL20GR	2.0 GR	3 lbs
CL25GR	2.5 GR	4 lbs

COUPLINGS

5 IN. METRIC



Part No.	Size In.	Wt	WP
CL50M-1-BOLT	5.0 Met 1 Bolt	10 lbs	130 bar
CL50M-2-BOLT	5.0 Met 2 Bolt	10 lbs	130 bar
CL50M-2-BOLT BASE	5.0 Met 2 Bolt w/ Base	12 lbs	130 bar
CL50M-NA BASE	5.0 Met NA Snap Base (Deck)	13 lbs	130 bar
CL50MADJ	5.0 Met ADJ	16 lbs	130 bar
CL50M-NA	5.0 Met NA	13 lbs	130 bar
10133242	Schwing 5.0 Met Tip	12 lbs	130 bar




6 IN. METRIC




Part No.	Size In.	Weight
240948003	6.0 1 - Bolt Met	19 lbs
10043559	6.0 Wedge Met	18 lbs
CL60MET-NA	6.0 Met NA	17 lbs

GASKETS

METRIC




METRIC V-STYLE



HEAVY DUTY



METRIC CAVITY



METRIC PUTZ-STYLE

Part No.	Size In.
GAS50M-V	5.0 Metric V-Style
GAS50M-C	5.0 Metric Cavity
GAS50M-PM	5.0 Metric Putz
GAS60M	6.0 Metric
GAS50M-C-NEOP	5.0 M C Neoprene Red
GAS50M-V-NEOP	5.0 M V Neoprene Red

HEAVY DUTY & GROOVED



Part No.	Size In.
GAS15GR	1.5 Grooved
GAS15HD	1.5 HD
GAS20GR	2.0 Grooved
GAS25GR	2.5 Grooved
GAS20HD	2.0 HD
GAS25HD	2.5 HD
GAS30HD	3.0 HD
GAS40HD	4.0 HD
GAS50HD	5.0 HD
GAS60HD	6.0 HD

WELD ON ENDS



GROOVED

Part No.	ID In.	Weight
WE20GR	2.0	.50 lbs
WE25GR	2.5	.65 lbs
WE30GR	3.0	1.00 lbs

RAISED—HEAVY DUTY, METRIC AND EUROPEAN

Part No.	ID In.	Weight
WE15MPT	1.5 (Male Pipe Thread)	1.00 lbs
WE15HD	1.5	1.00 lbs
WE20HD	2.0	1.00 lbs
WE25HD	2.5	1.00 lbs
WE30HD	3.0	2.00 lbs
WE40HD	4.0	2.25 lbs
WE50HD	5.0	3.30 lbs
WE50M	5.0	2.30 lbs
WE60HD	6.0	4.00 lbs
WE60MF	6.0 (Female Schwing)	4.00 lbs
SW-WOE-M-BOOM	4.8/123.4mm	Full Flow Chrome Cast. Inserts 58-61 Rockwell
SW-WOE-M-DECK	4.8/123.4mm	Full Flow Chrome Cast. Inserts 58-61 Rockwell

REED TRAILER PARTS



ALSO AVAILABLE IN CARBIDE

Part No.	Description
R72310HF	Cutting Ring B50/C50 - Hard Face
R86031HF	Wear Plate B50/C50 - Hard Face
R77120	Thrust Spring For Cutting Ring B50/C50
R70048	Piston Cup 6" - B50/C50



SCHWING TRAILER PARTS



Part No.	Description
30391049 / 10063938	Hard-faced DN165 Cutting Ring
30391048 / 10129809	Hard-faced DN150 Wear Plate
30391266 / 10129807	Hard-faced DN180 Wear Plate
30391048 / 10129809	Carbide DN150 Wear Plate
30391266 / 10129807	Carbide DN180 Wear Plate
30391049 / 10063938	Carbide DN165 Cutting Ring
10025851	DN135 Kidney Plate (outlet side)
10032182	DN135 Kidney Seal
10161863	DN150 Ram Flange
10161781	DN180 Ram Flange
10064473	DN165 Pressure Spring
30373731	CYLINDER 150MM CHROME 450/500/750-15
30390491	CYLINDER 180MM CHROME 750/1000-18



SCHWING BOOM PUMP PARTS



Part No.	Description
10074769	Mounting Plate 180, 200, 230mm
10074766	DN180 Wear Plate
10074767	DN200 Wear Plate
10074768	DN230 Wear Plate
10063939	DN230 Cutting Ring
10064472	Pressure Spring
10029138	Kidney Seal
10018046	Kidney Plate (outlet side)
10018029	Cover Lining
10161754	DN200 Ram Flange
10161634	DN230 Ram Flange
10161980	DN250 Ram Flange

**Please ask a sales representative
about our available carbide wear
plates as well**




Part No.	Description
R605063FM/M	6"x5"x1600mm Reducer
10069521	DN150 Elbow w/ extension
10017547	DN180xDN150 Hinged Elbow
10026159	DN180 14 Degree Elbow
10080782	Hopper Door
10035783	Hopper Door Sealing Ring
10043559	DN150 Wedge Clamp
10004761	DN150 D-Ring Seal



Part No.	Description
10019377	Material Cylinder 230mm x 2133mm

SCHWING BOOM PUMP PARTS



Part No.	Description
10167218	Agitator Paddle (bent T shape)
10167219	Agitator Paddle (D shape)

Part No.	Description
10061072	Agitator Drive Side Bearing (complete)
10061073	Agitator Fixed Side Bearing (complete)
10018037	Rock Valve Shaft Bushing Bearing (small)
10018047	Large Rock Valve Shaft Bushing Bearing
10181912	B-Rock Valve
10180090	B-Rock Valve Shaft
10167220	AGITATOR CENTER SHAFT COMPLETE HARDFACED PADDLES - E-ROCK
10178873	MATERIAL CYLINDER DN250
10181916	CUTTING RING HF DN220
10181938	WEAR PLATE HF DN250
10190499 ELBOW W/ EXT	DN125 90 DEG ELBOW W/ EXTENSION 100MM
30301745 water pump	1502 C HYPRO WATER PUMP 1-1/4" PORT
SCH-DN210 (CCR)	SCHWING CARBIDE CUTTING RING DN210

SCHWING BOOM PUMP PARTS

Part No.	Description
10000602	O-RING TO FIT 14 DEG 7" ELBOW 200 X 10
10000765	O-RING FOR AGITATOR CONE 60 X 5 NBR 70
10002386 KIT	TRANSITION ELBOW WEDGE BOLT KIT
10018071	DRIVE LEVER
10018123 HNGBLT	HINGE BOLT ASSEMBLY FOR TRANSITION ELBOW
10025851CARB	KIDNEY PLATE DN 135 CARBIDE
10026159	CONNECTION BEND DN 180 - 14 DEGREES HF
10026159 WELD ON	DN180 FLANGE (4 BOLTS) (ATTACHES TO DN180-14 ELBOW)
10027875	PUMPING CYLINDER DN200 X 2125MM
10032788	HOPPER DOOR WEDGE - PLT - 55MM CD 1045 RH CLAMP
10032789	HOPPER DOOR WEDGE - PLT - 55MM CD 1045 LH CLAMP
10035783	HOPPER DOOR SEAL RING (BOOM)
10039180 AG MTR	MOTOR HYDRAULIC AGITATOR (drt# 1-1/4 " shaft - ymh5004gsb)
10043559 WEDGE CLAMP	WEDGE CLAMP DN150 - SCHWING - 10043559
10059467	SCHWING ROCK VALVE DN210
10061075	DRIVE SIDE AGITATOR SHAFT
10061076	SEALING CONE AGITATOR
10061077	DRIVE SIDE BRASS BUSHING
10061080	FIXED SIDE SHAFT AGITATOR
10061081	FIXED SIDE STEEL DISC, RETAINING WASHER 3 MOUNTING HOLES
10061082	FIXED SIDE, BRASS BUSHING AGITATOR
10061083	FIXED SIDE BRASS DISC THRUST WASHER AGITATOR
10064073	SHAFT MOD-ROCK VALVE
10069521HF	SUPER PIPE BEND DN150-90 DEGREES - M/F (74lbs)
10077886 HF	HOPPER RING CONNECTION DN200
10078435 HF	CONNECTION PIECE BPL1200 9"
10080782	HOPPER DOOR (BOOM)
10133242	SCHWING 5" MET TIP CLAMP
10163505	PUMPING CYLINDER DN250 X 2635

PUTZMEISTER WEAR PARTS



Part No.	Description
251014007	S2018 Small Mouth S-Tube
440621	S2318 Large Mouth S-Tube
228383004	Chrome Sleeve
240391003	Large Seal Housing
240391003SK	Large Seal Housing Seal Kit
027864009	Bearing Assembly S-Tube Shaft



Part No.	Description
279856001	Transition Elbow w/ Port
279856001	Transition Elbow No Port
104003	DN150 High Pressure Elbow
RHL605047.25HI-M	6.0x5.0x1200mm Reducer HP-M
RHL605047.25MM	6.0x5.0x1200mm Reducer M-M
240948003	DN150 Wedge Clamp

Part No.	Description
239867001	9" Material Cylinder 230mmx2133mm



PUTZMEISTER WEAR PARTS

WEAR PLATES & CUTTING RINGS



Please ask a sales representative about our available carbide wear plates as well



Part No.	Description
240111005	DN230 Spectacle Plate (hard-faced)
251031006	DN230 Cutting Ring (hard-faced)
A099011	DN230 Thrust Ring
261122002	DN280 Spectacle Plate (hard-faced)
261123001	DN280 Cutting Ring (hard-faced)
458878	Thrust Ring

BOOM PUMP AGITATOR PARTS



Will replace 50mm
agitator bearings



Part No.	Description
275587002	Mixer End Shaft 60mm
242573007	Bearing Flange
242574006	Rubber Seal
222484006	Bushing 60mm
043909003	O-Ring
238340008	Hydraulic Motor 35mm Shaft

PUTZMEISTER WEAR PARTS

Part No.	Description
027864009SK	SEAL SET S-TUBE SHAFT INCLUDES (016136007, 067855007, 041321007, 042341002, 013292009)
033718000	HEX NUT FOR S-TUBE SHAFT
041466001	O-RING FOR INTERMEDIATE RING SET
043017005	O-RING CLEAN OUT PORT TRANSITION ELBOW
043635005	O-RING FOR INTERMEDIATE RING SET
043909003 O-RING	60MM AGITATOR O-RING
069042009	O-RING (6" 90 / TRANSITION ELBOW)
080373003 PISTON SEAL	DELIVERY PISTON SEAL #080373003
080672005 GUIDE BAND	PUTZMEISTER GUIDE RING D230x40 WIDE (MULTI PIECE)
085813005	230MM MULTI-PIECE PISTON ASSEMBLY COMPLETE
222484006 BUSHINGS	60MM BUSHING AGITATOR
222895006 FILTER	SUCTION FILTER CARTRIDGE REPLACEMENT
233915001 CORD	ROUND CORD HOPPER SEAL 15MM X 1M
238130001	AGITATOR MOTOR OMH500 ymh-500-4-m-s = DRT#
240948003	1 - BOLT CLAMP DN150 / 6" BACKBEND
242573007 BEARING FLNG	60MM AGITATOR BEARING FLANGE
243189005	60 MM CENTER SHAFT AGITATOR
247910005	KEY FOR AGITATOR MOTOR SHAFT
248115003	70 X 9 WASHER
248116002	70 X 11 WASHER
252200001	INTERMEDIATE CONNECTING RING SET
254424005	DRIVE LEVER (S-TUBE) 80MM SHAFT
254501009	WASHER TO FIT S-TUBE SHAFT
256300004	BALL CUP FOR DRIVE LEVER (S-TUBE)
257428008	70 X 13 WASHER
257429007	70 X 4 WASHER
262840008	PLUNGER HYDRAULIC CYLINDER
262840008SK	SHIFT CYLINDER SEAL KIT includes: 261706004, 065344002,
270321001	PROXIMITY SENSOR FOR MATERIAL CYLINDER

PUTZMEISTER WEAR PARTS

Part No.	Description
273827007 HP FILTER	HIGH PRESSURE FILTER CARTRIDGE REPLACEMENT
274877001	DRIVE LEVER 90MM SHAFT
274884007	WEAR SLEEVE
274893001	90MM SMALL SEAL HOUSING COMPLETE
275587002	60MM MIXER END SHAFT 60MM (MOTOR SIDE)
276313000	SPECTACLE WEAR PLATE 570 HM
406795	LH AGITATOR PADDLE (D-SHAPE)
406796	RH AGITATOR PADDLE W/ WEDGE BLK D-SHAPE
416341	HYDRAULIC FILTER
427190	ELBOW 45 DEGREE W/ EXTENSION 45 degree + 180mm
432235	RUBBER BUSHING FOR HOPPER GRATE
471560	6V BLUE HBC REMOTE BATTERY
522382	WEDGE, TRANSITION DOOR
541970	MOTOR HYDRAULIC AGITATOR OMH750
PM HOPPER DOOR	BOOM PUMP HOPPER DOOR 905
PM-15090ZXM-Metric	6.0"x90 ELBOW - ZXM - METRIC
PM-200 PISTON CUP	PISTON DN 200 SOLID
PM-CR(C) DN230	CARBIDE CUTTING RING - DN230 (251031006)
PM-CR(C) DN280	CARBIDE CUTTING RING DN280 (261123001)
PM-CR-TRAILER-HF	TRAILER PUMP - CUTTING RING - HARD FACE
PM-DN230 PISTONCUP	PISTON CUP DN230 (019003.001) (262893000)
PM-WP(C) DN230	CARBIDE WEAR PLATE DN230 (240111005)
PM-WP(C) DN280 16C	CARBIDE WEAR PLATE DN280 16 CELL (REPLACES 261122002)
PM-WP-TRAILER-HF	TRAILER PUMP - WEAR PLATE - HARD FACE



MISC. PUMP PARTS / VALVES



Part No.	Description
HSO20HD	HAMMER SHUT OFF VALVE - 2.0" HD
HSO25HD	HAMMER SHUT OFF VALVE - 2.5" HD
HSO30HD	HAMMER SHUT OFF VALVE - 3.0" HD
HSO40HD	HAMMER SHUT OFF VALVE - 4.0" HD
HSO50HD	HAMMER SHUT OFF VALVE - 5.0" HD
HSO50M	HAMMER SHUT OFF VALVE - 5.0" METRIC



BALLS & SEATS

Seats: Olin, TA

Steel Balls: PM, Schwing,
Olin, TA, Mayco

HOSE SLEDs



**HOSE SLEDs —
AVAILABLE IN STEEL &
VACUUM FORMED POLY**



Part No.	Description
SLED2-5POLY	HOSE SLED 27" DIAMETER LIGHTWEIGHT 5.0 LBS
SLED345STEEL	HOSE SLED 26" DIAMETER - STEEL (32.0 LBS)

MISC. PUMPING ACCESSORIES

WASH-OUT TRAYS



- Made from ABS plastic so they are durable
- Keeps your work area clean of concrete & wash-out water
- Oil resistant to catch oil drips, leaks
- Can ship via truck freight with your hoses stacked on top

SAFETY STRAPS & SLINGS



← Boom Tie-Down Strap (and below)



HOPPER VIBRATORS

Also available in 24 volt, please specify upon ordering.

Part Number	Description
MVE-200DC	MVE 200 DC-12 Vibrator



CHEMICALS & ADD MIXTURES

CONCRETE REMOVER



- Removes hardened concrete, mortar build-up, splatter and lime scale
- Non-corrosive and non-hazardous, safe for the environment
- Safe on paint, glass, metal & plastic surfaces
- Cost effective, dilutes up to 8:1 in water
- Biodegradable
- No harmful solvents
- Come in 5 gallon pails & 55 gallon drums
- VOC compliant
- Can order larger quantities, just specify

CRETE-LUBE



- 100% non-toxic concrete pump lubricant
- Made from environmentally safe polysaccharides
- Will not harm skin or eyes
- Cleans up easily with water, clean drying
- Natural water-based
- Compatible with all materials and equipment
- Come in boxes of 50 packets

WIRELESS REMOTE CONTROLS

Manufactured by Microtronics, Inc.

**Pump Parts Plus, Inc. is an Official Distributor of Microtronics, Inc.'s
Wireless Remote Controls**



2.4 GHz Horizontal Bang Bang Joystick

Enclosure: Die Cast Aluminum

Color: Yellow or Gray

Decal: Customizable

Switch: Environmentally Sealed, 2, 4 or 8 Way Bang Bang Joysticks

Dimensions: 6 7/8" L x 3" W x 2 1/4" D

Antenna: External 2.4 GHz

Weight: 3 1/2 lbs.

Address Code: 4.2 Billion

Operating Temp: -20c to +50c

Range: 300 ft.

Frequency: 2.4 GHz FH/DSSS

Power Source: 9 Volt Battery

Current Draw: 20 Milliamps

Output Controls: 1-16 Outputs

Seal: Oil and Petroleum Resistant Neoprene Rubber Gasket

Standard Features: Power Switch, Emergency

Stop Switch, Customizable Decal,

Control Guard Set, Neck Strap, External Antenna

Options: Belly Strap, Cab Clip

**Joystick works well with multi-section
Boom Pumps. Membrane works with
Trailer Pumps.**

2.4 GHz Membrane

Enclosure: ABS Plastic

Color: Black

Decal: Customizable

Switch Type: Membrane Pad

Dimensions: 4 3/4" L x 2 3/8" W x 1" D

Antenna: Internal 2.4 GHz

Weight: 8 oz.

Address Code: 4.2 Billion

Operating Temp: -20c to +50c

Range: 300 ft.

Frequency: 2.4 GHz FH/DSSS

Power Source: 9 Volt Battery

Current Draw: 20 Milliamps

Output Controls: 1-10 Outputs

Standard Features: Power Switch, Emergency Stop Switch, Customizable Decal, Internal Antenna

Options: Magnetic Protective Boot (Yellow, Black or Orange) with Optional Neck Strap or Retractable Belt Clip



[illegible]

PUMP PARTS PLUS
pumppartsplus.com

PUMP PARTS PLUS – Fax 951-657-8155

Credit Card Authorization

Company Name: _____

Customer Phone: _____

Fax Number: _____

Date: _____

Card Type: _____ **Issuing Company:** _____

C.C. Co. phone#: _____

Card Number: _____

Exp Date: _____

Security Code: _____

Name On Card: _____

Billing address of card holder: _____

Total Amount to Charge: _____

I hereby authorize PPP use of card on following invoices: _____

Signature of Cardholder

Print of above Signature

Shipping address:

e-mail address:

EMAIL TO JONATHAN@PUMPPARTSPLUS.COM OR FAX TO # ABOVE.



Member of the ACPA

Founder & President Gary Fraser